



Mixing black and white makes grey


The spectrum of scientific exchange over
time

The Grey Circuit
From Social Networking to Wealth Creation

Thirteenth International Conference on Grey Literature
Library of Congress in Washington D.C.
5-6 December 2011
Jens Vigen, CERN










flickrTM

HEP


High-Energy Physics



Like most things, it started small...



CERN came along in 1954 : the first Council



...and things got big!

First Measurement of Bose-Einstein Correlations in Proton-Proton Collisions at $\sqrt{s} = 0.9$ and 2.36 TeV at the LHC

V. Khachatryan *et al.*^{*}
(CMS Collaboration)

(Received 18 May 2010; published 13 July 2010)

Bose-Einstein correlations have been measured using samples of proton-proton collisions at 0.9 and 2.36 TeV center-of-mass energies, recorded by the CMS experiment at the CERN Large Hadron Collider. The signal is observed in the form of an enhancement of pairs of same-sign charged particles with small relative four-momentum. The size of the correlated particle emission region is seen to increase significantly with the particle multiplicity of the event.

DOI: 10.1103/PhysRevLett.105.032001

PACS numbers: 13.85.Hd

In particle collisions, the space-time structure of the hadronization source can be studied using measurements of Bose-Einstein correlations (BEC) between pairs of identical bosons. Since the first observation of BEC 50 years ago in proton-antiproton interactions [1], a number of measurements have been made by several experiments using different initial states; a detailed list of the experimental results can be found in [2,3]. Boson interferometry at the Large Hadron Collider provides a powerful tool to investigate the space-time structure of the particle emission source on femtometric length scales at different center-of-mass energies and with different initial states, using the same detector. This Letter reports the first measurements of BEC at the LHC with the CMS detector, namely, the first measurement in pp collisions at 0.9 TeV and the highest energy measurement at 2.36 TeV.

Constructive interference affects the joint probability for the emission of a pair of identical bosons with four-momenta p_1 and p_2 . Experimentally, the proximity in phase space between final-state particles is quantified by the Lorentz-invariant quantity $Q = \sqrt{-(p_1 - p_2)^2} = \sqrt{M^2 - 4m_\pi^2}$, where M is the invariant mass of the two particles, assumed to be pions with mass m_π . The BEC effect is observed as an enhancement at low Q of the ratio of the Q distributions for pairs of identical particles in the same event, and for pairs of particles in a reference sample that, by construction, is expected to include no BEC effect:

$$R(Q) = (dN/dQ)/(dN_{ref}/dQ), \quad (1)$$

which is then fitted with the parametrization

$$R(Q) = C[1 + \lambda\Omega(Qr)](1 + \delta Q). \quad (2)$$

In a static model of particle sources, $\Omega(Qr)$ is the Fourier

transform of the spatial distribution of the emission region of bosons with overlapping wave functions, characterized by an effective size r . It is often parametrized as an exponential function $\Omega(Qr) = e^{-Qr}$, or with a Gaussian form $\Omega(Qr) = e^{-Q^2r^2}$ (see [4] and references therein). The parameter λ reflects the BEC strength for incoherent boson emission from independent sources, δ accounts for long-range momentum correlations, and C is a normalization factor.

The data used for the present analysis were collected by the CMS experiment in December 2009 from proton-proton collisions at center-of-mass energies of 0.9 and 2.36 TeV. A detailed description of the CMS detector can be found in [5]. The central feature of the CMS apparatus is a superconducting solenoid of 6 m internal diameter, providing a uniform magnetic field of 3.8 T. The inner tracking system is the most relevant detector for the present analysis. It is composed of a pixel detector with three barrel layers at radii between 4.4 and 10.2 cm and a silicon strip tracker with 10 barrel detection layers extending outwards to a radius of 1.1 m. Each system is completed by two end caps, extending the acceptance up to a pseudorapidity $|\eta| = 2.5$. The transverse-momentum (p_T) resolution, for 1 GeV charged particles, is between 0.7% at $\eta = 0$ and 2% at $|\eta| = 2.5$. The events were selected by requiring activity in both beam scintillator counters [6]. A minimum-bias Monte Carlo (MC) sample was generated using PYTHIA (with D6T tune) [7] followed by full detector simulation based on the GEANT4 program [8]. Additional PYTHIA MC samples were generated to simulate BEC effects with both Gaussian and exponential forms of $\Omega(Qr)$.

Charged particles are required to have $p_T > 200$ MeV, which is sufficient for particles emitted from the interaction region to cross all three barrel layers of the pixel detector and ensure good two-track separation. Their pseudorapidity is required to satisfy $|\eta_{track}| < 2.4$. To ensure high purity of the primary track selection, the trajectories are required to be reconstructed in fits with more than 5 degrees of freedom (dof) and $\chi^2/N_{dof} < 5.0$. The transverse impact parameter with respect to the collision point is

^{*}Full author list given at the end of the article.

Published by the American Physical Society under the terms of the Creative Commons Attribution 3.0 License. Further distribution of this work must maintain attribution to the author(s) and the published article's title, journal citation, and DOI.

Let's peek at a paper

1. Introduction
2. Methodology
3. Results
4. Discussion
5. Conclusion

1. Introduction
2. Methodology
3. Results
4. Discussion
5. Conclusion

1. Introduction
2. Methodology
3. Results
4. Discussion
5. Conclusion

1. Introduction
2. Methodology
3. Results
4. Discussion
5. Conclusion

Year	Value
2000	1.2
2001	1.5
2002	1.8
2003	2.1
2004	2.4
2005	2.7
2006	3.0
2007	3.3
2008	3.6
2009	3.9
2010	4.2
2011	4.5
2012	4.8
2013	5.1
2014	5.4
2015	5.7
2016	6.0
2017	6.3
2018	6.6
2019	6.9
2020	7.2

1. Introduction
2. Methodology
3. Results
4. Discussion
5. Conclusion

1. Introduction
2. Methodology
3. Results
4. Discussion
5. Conclusion

1. Introduction
2. Methodology
3. Results
4. Discussion
5. Conclusion

1. Introduction
2. Methodology
3. Results
4. Discussion
5. Conclusion

1. Introduction
2. Methodology
3. Results
4. Discussion
5. Conclusion

1. Introduction
2. Methodology
3. Results
4. Discussion
5. Conclusion

1. Introduction
2. Methodology
3. Results
4. Discussion
5. Conclusion

1. Introduction
2. Methodology
3. Results
4. Discussion
5. Conclusion

1. Introduction
2. Methodology
3. Results
4. Discussion
5. Conclusion


1. Introduction
2. Methodology
3. Results
4. Discussion
5. Conclusion



01/10/2000 05:00

~15'000 experimental physicists in big teams, smashing stuff at the speed of light (and beyond)






~15'000 HEP theorists scratching their heads to make sense of all that stuff

CERN across the world

Distribution of All CERN Users by Nationality on 27 June 2011



1665

2010

PHILOSOPHICAL TRANSACTIONS.

Munday, July 3. 1665.

The Contents.

An Account, how Adits and Mines are wrought at Liege without Air-shafts, communicated by Sir Robert Moray. A way to break easily and speedily the hardest Rocks; imparted by the same Person, as he received it from Monsieur Du Son the Inven-

Performance of the ATLAS detector using first collision data

The ATLAS collaboration

ABSTRACT: More than half a million minimum-bias events of LHC collision data were collected by the ATLAS experiment in December 2009 at centre-of-mass energies of 0.9 TeV and 2.36 TeV. This paper reports on studies of the initial performance of the ATLAS detector from these data. Comparisons between data and Monte Carlo predictions are shown for distributions of several track- and calorimeter-based quantities. The good performance of the ATLAS detector in these first data gives confidence for successful running at high energies.

References.

- HENRY, W., M.D., F.R.S. "On the Action of Finely Divided Platinum on Gaseous Mixtures, and its Application to their Analysis," *Phil. Trans.*, 1824, p. 266.
- BUNSEN. "Untersuchungen über die Chemische Verwandtschaft," *LIEB. Ann.*, lxxxv., p. 137, 1853. *Gasometr. Meth.*, 2nd ed., p. 353.
- MEYER, ERNST V. (1) "Ueber die unvollkommene Verbrennung von Gasen, und die bei derselben sich äussernden Wirkungen der Affinität," *Journ. prakt. Chem.* [2] x., p. 273, 1874.
- (2) "Ueber die bei der langsamen Oxydation des Wasserstoffes und Kohlenoxyds mittelst Platin sich äussernden Affinitätswirkungen," *Journ. prakt. Chem.* [2], xiii., p. 121, 1876.
- (3) "Ueber die unvollkommene Verbrennung in Wasserstoffkohlenoxyd-Gemischen," *Journ. prakt. Chem.* [2], xviii., p. 290, 1878.
- MEYER, LOTHAR. "Ueber unvollkommene Verbrennung," *Ber. d. deutsch. Chem. Ges.*, x., p. 2117, 1877.

References

- [1] ATLAS collaboration, G. Aad et al., *The ATLAS Experiment at the CERN Large Hadron Collider*, 2008 *JINST* **3** S08003 [SPIRES].
- [2] ATLAS collaboration, G. Aad et al., *Charged-particle multiplicities in pp interactions at $\sqrt{s} = 900$ GeV measured with the ATLAS detector at the LHC*, *Phys. Lett. B* **688** (2010) 309 [arXiv:1003.3124] [SPIRES].
- [3] ATLAS collaboration, G. Aad et al., *Readiness of the ATLAS Liquid Argon Calorimeter for LHC Collisions*, arXiv:0912.2642 [SPIRES].
- [4] ATLAS collaboration, *Commissioning of the ATLAS Muon Spectrometer with Cosmic Rays*, submitted to *Eur. Phys. J. C* [arXiv:1006.4384] [SPIRES].
- [5] ATLAS collaboration, P. Ryan et al., *The ATLAS Inner Detector commissioning and calibration*, accepted by *Eur. Phys. J. C* [arXiv:1004.5293] [SPIRES].
- [6] ATLAS collaboration, G. Aad et al., *Drift Time Measurement in the ATLAS Liquid Argon Electromagnetic Calorimeter using Cosmic Muons*, arXiv:1002.4189 [SPIRES].

1884

2010

TABLE XXXII.

Reference No.	Before the explosion.			After the explosion.				Temperature.	α .
	Oxygen.	Carbonic oxide.	Hydrogen.	Carbonic oxide.	Carbonic acid.	Hydrogen.	Steam.		
100	17.3	24	76	21.4	2.6	44.1	31.9	° C 0	5.9
101	"	"	"	20.5	3.4	44.7	31.3	70	4.2
102	"	"	"	20.4	3.5	44.7	31.3	80	4.0
103	"	"	"	20.4	3.6	44.4	31.6	100	4.0
104	15.9	24.5	75.5	21.2	3.3	47.0	28.5	125	4.0

Between 0° and 70° a large fall of the coefficient occurs; between 70° and 80° there is a slight fall; from 80° to 125° it remains constant. The high temperature constant with this mixture is rather higher than with mixtures containing excess of carbonic oxide.

A fourth mixture, containing about equal volumes of carbonic oxide and hydrogen, was next exploded at 70° , 80° , and 120° under 1000 millims. pressure. For the purpose of comparison an experiment previously made with a nearly similar mixture at 14° is included in the table.

Table 3

Double-differential dijet mass cross section in the rapidity range $0.5 < |y|_{\max} < 1.0$. The is calculated as described in the text. The experimental systematic uncertainties of the

Mass range (TeV)	Reference mass (TeV)	Measured cross section (pb/TeV)
[0.197, 0.220]	0.208	1.74×10^6
[0.220, 0.244]	0.231	1.02×10^6
[0.244, 0.270]	0.256	6.00×10^5
[0.270, 0.296]	0.282	3.64×10^5
[0.296, 0.325]	0.310	2.22×10^5
[0.325, 0.354]	0.339	1.38×10^5
[0.354, 0.386]	0.369	8.64×10^4
[0.386, 0.419]	0.402	5.42×10^4
[0.419, 0.453]	0.435	3.55×10^4
[0.453, 0.489]	0.470	2.34×10^4
[0.489, 0.526]	0.507	1.53×10^4
[0.526, 0.565]	0.545	1.01×10^4
[0.565, 0.606]	0.585	6.90×10^3
[0.606, 0.649]	0.627	4.60×10^3

1884

2011


Vague but exciting ...

Information Management: A Proposal

Abstract

This proposal concerns the management of general information about accelerators and experiments at CERN. It discusses the problems of loss of information about complex evolving systems and derives a solution based on a distributed hypertext system.


Keywords: Hypertext, Computer conferencing, Document retrieval, Information management, Project control




actually everything is pretty much the same; in spite of an important happening in 1989 ...

What was the first website in the U.S.?

SPIRES : a database of grey literature!





Once upon a time, when air-mail was fast...



...HEP scientists wrote papers...



...then mailed them to journals AND colleagues



...other scientists received the preprints once a week

MAT
MASSACHUSETTS INSTITUTE OF TECHNOLOGY, CAMBRIDGE, RES.
MATHEMATICAL

C

MIT-LNS-TR
86

MASSACHUSETTS INSTITUTE OF TECHNOLOGY, Cambridge.
Laboratory for Nuclear Science.
A limit on the branching ratio $X^+ \rightarrow X^0 + \gamma$, by D.
Friedell, R. Deutsch, B. Cutts, R. Stiening and C. Wiegand,
December 1967. 10 p.

2.F.O. 3.D, Martin
4.-S. auth. 6.W, Clyde
7, MIT-LNS.. 8. MIT 2098..

MIT 2098-389

...libraries catalogued preprints to create a structure

...reading authors, affiliations, assigning keyword,
resolving citations, marking up conference and
teams...





Open access to 705,743 e-prints in Physics, Mathematics, Computer Science, Quantitative Biology, Quantitative Finance and Statistics

Subject search and browse:

29 Jul 2011: [arXiv Sustainability Initiative Update](#): An update on the effort to design a new collaborative support model for arXiv, including a short FAQ, is provided.

25 Apr 2011: [Data sets accepted as part of Data Conservancy pilot](#); [ScienceWISE provides article annotation and bookmarking](#)

See cumulative ["What's New"](#) pages. Read [robots beware](#) before attempting any automated download

Physics

- [Astrophysics \(astro-ph new, recent, find\)](#)
includes: [Cosmology and Extragalactic Astrophysics](#); [Earth and Planetary Astrophysics](#); [Galaxy Astrophysics](#); [High Energy Astrophysical Phenomena](#); [Insular Astrophysics](#)
- [Condensed Matter \(cond-mat new, recent, find\)](#)
includes: [Disordered Systems and Neural Networks](#); [Materials Science](#); [Mesoscale and Nanoscale Physics](#); [Other Condensed Matter](#); [Quantum Gases](#); [Strongly Correlated Electrons](#); [Superconductivity](#)
- [General Relativity and Quantum Cosmology \(gr-qc new, recent, find\)](#)
- [High Energy Physics - Experiment \(hep-ex new, recent, find\)](#)
- [High Energy Physics - Lattice \(hep-lat new, recent, find\)](#)
- [High Energy Physics - Phenomenology \(hep-ph new, recent, find\)](#)
- [High Energy Physics - Theory \(hep-th new, recent, find\)](#)
- [Mathematical Physics \(math-ph new, recent, find\)](#)
- [Nuclear Experiment \(nucl-ex new, recent, find\)](#)
- [Nuclear Theory \(nucl-th new, recent, find\)](#)
- [Physics \(physics new, recent, find\)](#)
includes: [Accelerator Physics](#); [Atmospheric and Oceanic Physics](#); [Atomic Physics](#); [Atomic and Molecular Clusters](#); [Biological Physics](#); [Chemical Physics](#); [Classical Mechanics](#); [Computational Physics](#); [Geometric Physics](#); [History and Philosophy of Physics](#); [Instrumentation and Detectors](#); [Medical Physics](#); [Statistical Physics](#); [Statistics and Probability](#); [Fluid Dynamics](#); [General Physics](#); [Geophysics](#); [History and Philosophy of Physics](#); [Instrumentation and Detectors](#); [Medical Physics](#); [Optics](#); [Particle Physics](#); [Plasma Physics](#); [Popular Physics](#); [Space Physics](#)
- [Quantum Physics \(quant-ph new, recent, find\)](#)

Mathematics

- [Mathematics \(math new, recent, find\)](#)
includes (see [detailed description](#)): [Algebraic Geometry](#); [Algebraic Topology](#); [Analysis of PDEs](#); [Category Theory](#); [Classical Analysis and ODEs](#); [Combinatorics](#); [Complex Variables](#); [Commutative Algebra](#); [Commutative Algebra](#); [Differential Geometry](#); [Differential Equations](#); [Discrete Mathematics](#); [Foundations](#); [General Relativity and Quantum Cosmology](#); [Geometric Topology](#); [Group Theory](#); [Harmonic Analysis](#); [History and Philosophy of Mathematics](#); [Invention and Discovery](#); [Mathematical Physics](#); [Mathematical Software](#); [Mathematics and Physics](#); [Metric Structures](#); [Number Theory](#); [Operator Algebras](#); [Other Mathematics](#); [Probability and Statistics](#); [Quantum Algebra](#); [Quantum Groups](#); [Quantum Information Theory](#); [Riemannian Geometry](#); [Symplectic Geometry](#); [The History and Philosophy of Mathematics](#); [Topology](#); [Toric Varieties](#); [Unsolved Problems](#); [Zeta Functions and Related Topics](#)

Superluminal neutrinos?



Measurement of the neutrino velocity with the OPERA detector in the CNGS beam

T. Adam^a, N. Agafonova^b, A. Aleksandrov^{c,1}, O. Altinok^d, P. Alvarez Sanchez^e, S. Aoki^f, A. Ariga^g, T. Ariga^g, D. Autiero^h, A. Badertscherⁱ, A. Ben Dhahbi^g, A. Bertolin^j, C. Bozza^k, T. Brugière^h, F. Brunet^l, G. Brunetti^{h,m,2}, S. Buontempo^c, F. Cavannaⁿ, A. Cazes^h, L. Chaussard^h, M. Chernyavskiy^o, V. Chiarella^p, A. Chukanov^q, G. Colosimo^r, M. Crespi^r, N. D'Ambrosio^s, Y. Déclais^h, P. del Amo Sanchez^l, G. De Lellis^{l,c}, M. De Serio^u, F. Di Capua^c, F. Cavanna^p, A. Di Crescenzo^{l,c}, D. Di Ferdinando^v, N. Di Marco^s, S. Dmitrievsky^q, M. Dracos^a, D. Duchesneau^l, S. Dusini^j, J. Ebert^w, I. Eftimiopolous^c, O. Egorov^x, A. Ereditato^g, L.S. Espositoⁱ, J. Favier^l, T. Ferber^w, R.A. Fini^u, T. Fukuda^y, A. Garfagnini^{z,j}, G. Giacomelli^{m,v}, C. Girerd^h, M. Giorgini^{m,v,3}, M. Giovannozzi^c, J. Goldberg^{aa}, C. Göllnitz^w, L. Goncharova^o, Y. Gornushkin^q, G. Grella^k, F. Grianti^{ab,p}, E. Gschewentner^c, C. Guerin^h, A.M. Guler^d, C. Gustavino^{ac}, K. Hamada^{ad}, T. Hara^f, M. Hierholzer^w, A. Hollnagel^w, M. Ieva^u, H. Ishida^y, K. Ishiguro^{ad}, K. Jakovcic^{ac}, C. Jollet^a, M. Jones^c, F. Juget^g, M. Kamiscioglu^d, J. Kawada^g, S.H. Kim^{af,4}, M. Kimura^y, N. Kitagawa^{ad}, B. Klicek^{ac}, J. Knuesel^g, K. Kodama^{ag}, M. Komatsu^{ad}, U. Kose^j, I. Kreslo^g, C. Lazzaroⁱ, J. Lenkeit^w, A. Ljubicic^{ac}, A. Longhin^p, A. Malgin^b, G. Mandrioli^v, J. Marteau^h, T. Matsuo^y, N. Mauri^p, A. Mazzoni^r, E. Medinaceli^{z,j}, F. Meisel^g, A. Meregaglia^a, P. Migliozzi^c, S. Mikado^y, D. Missiaen^c, K. Morishima^{ad}, U. Moser^g, M.T. Muciaccia^{ah,u}, N. Naganawa^{ad}, T. Naka^{ad}, M. Nakamura^{ad}, T. Nakano^{ad}, Y. Nakatsuka^{ad}, D. Naumov^q, V. Nikitina^{ai}, S. Ogawa^y, N. Okateva^o, A. Olchevsky^s, O. Palamara^s, A. Paoloni^p, B.D. Park^{af,5}, I.G. Park^{af}, A. Pastore^{ag,u}, L. Patrizii^v, E. Pennacchio^h, H. Pessard^l, C. Pistillo^g, N. Polukhina^o, M. Pozzato^{m,v}, K. Pretzl^g, F. Pupilli^s, R. Rescigno^k, T. Roganova^{ai}, H. Rokujo^f, G. Rosa^{aj,ac}, I. Rostovtseva^x, A. Rubbiaⁱ, A. Russo^c, O. Sato^{ad}, Y. Sato^{ak}, A. Schembri^s, J. Schuler^a, L. Scotto Lavina^{g,6}, J. Serrano^c, A. Sheshukov^q, H. Shibuya^y, G. Shoziyev^{ai}, S. Simone^{ah,u}

Open Access – quick as the light

eighteen commenting papers, five days later, out on arXiv
Today (~70 days later): 160 citing paper!



Cornell University
Library

[arXiv.org](#) > [search](#)

arXiv.org Search Results

[Back to Search form](#) | [Next 25 results](#)

The URL for this search is <http://arxiv.org/find/all/1/all:+opera/0/1/0/all/0/1>

Showing results 1 through 25 (of 94 total) for [all:opera](#)

1. [arXiv:1109.5687](#) [[pdf](#), [other](#)]

Superluminal neutrinos and extra dimensions: constraints from the null energy condition

[Steven S. Gubser](#)

Comments: 8 pages, 1 figure

Subjects: High Energy Physics – Theory (hep-th)

2. [arXiv:1109.5685](#) [[pdf](#), [ps](#), [other](#)]

Price for Environmental Neutrino-Superluminality

[Gia Dvali](#), [Alexander Vikman](#)

Comments: 4 pages

Subjects: High Energy Physics – Phenomenology (hep-ph); General Relativity and Quantum Cosmology (gr-qc); High Energy Physics – Theory (hep-th)

3. [arXiv:1109.5682](#) [[pdf](#), [other](#)]

Interpreting OPERA results on superluminal neutrino

[Gian F. Giudice](#), [Sergey Sibiryakov](#), [Alessandro Strumia](#)

Comments: 19 pages, 4 figures

Subjects: High Energy Physics – Phenomenology (hep-ph)

4. [arXiv:1109.5671](#) [[pdf](#), [ps](#), [other](#)]

OPERA's superluminal muon-neutrino velocity and an FPS-type model of Lorentz violation

[F.R. Klinkhamer](#)

Comments: 6 pages

Subjects: High Energy Physics – Phenomenology (hep-ph); High Energy Physics – Experiment (hep-ex)

5. [arXiv:1109.5599](#) [[pdf](#), [ps](#), [other](#)]

Comments on the recent velocity measurement of the muon neutrinos by the OPERA Collaboration

[Jacek Ciborowski](#), [Jakub Rembielinski](#)

Comments: 3 pages

Subjects: High Energy Physics – Experiment (hep-ex); High Energy Physics – Phenomenology (hep-ph)

6. [arXiv:1109.5445](#) [[pdf](#), [ps](#), [other](#)]

Apparent Lorentz violation with superluminal Majorana neutrinos at OPERA?


[F. Tamburini](#) (1), [M. Laveder](#) (2), ((1) Department of Astronomy, University of Padova, Padova, Italy (2) Department of Physics, University of Padova, Padova, Italy)

Comments: 4 pages

Subjects: High Energy Physics – Phenomenology (hep-ph); High Energy Astrophysical Phenomena (astro-ph.HE); Quantum Physics (quant-ph)

Facebook/CERN

facebook 3 1 Search Jens Vigen Home



Wall
Info
Friend Activity (1+)
Photos

About
This page shares news and information about CERN and highlights CERN job opportunities and highlights CERN job opportunities.
More

59,324
like this

901
talking about this

Likes See All


CERN

Organization - Geneva, Switzerland

Like


Create a Page

You and CERN



13 friends like this.
27 friends have worked here.

Sponsored Create an Ad

7 Nächte auf See?
deindeal.ch


 CHF 598 statt CHF 2330 für 7 Nächte Kreuzfahrt für 2 Personen auf der MSC Splendida!

Restaurant les Tilleuls

 Mangez gratuitement aux Tilleuls le lundi soir 5 décembre. Soyez fan des Tilleuls et le repas vous est offert! Il est temps de "liker"

Like · 3,111 people like this.

Klassenfotos von...
stayfriends.ch

 1970 · 1971 · 1972 · 1973 · 1974 · 1975 · 1976 · 1977 · 1978

Basic Information

Founded	CERN was founded 1954
Location	Route de Meyrin, 1200 Geneva, Switzerland
About	This page shares news and information about CERN and highlights CERN job opportunities. TAKE PART !
General Information	CERN is a truly unique organisation. A genuine collaboration between countries, universities and scientists, driven not by profit margins, but by a commitment to create and share knowledge. People here are part of immense scientific discoveries, answering some of life's most complex questions and pushing the boundaries of understanding. Experts from every field come here to share in this ambition...See More
Mission	Research: Seeking and finding answers to questions about the Universe Technology: Advancing the frontiers of technology Collaborating: Bringing nations together through science Education: Training the scientists of tomorrow
Website	http://www.cern.ch

Likes and Interests

Facebook/arXiv

facebook




Search



Jens Vigen

Home



Info

Friend Activity (1+)

Related Posts

Wikipedia

568

like this

9

talking about this

Create a Page

Add to My Page's Favorites

Report Page

Share

arXiv

Like

Website

Description

From Wikipedia, the free encyclopedia

The **arXiv** (pronounced "archive", as if the "X" were the Greek letter *Chi*, χ) is an archive for electronic preprints of scientific papers in the fields of mathematics, physics, astronomy, computer science, quantitative biology, statistics, and quantitative finance which can be accessed online. In many fields of mathematics and physics, almost all scientific papers are self-archived on the arXiv. On 3 October 2008, arXiv.org passed the half-million article milestone, with roughly five thousand new e-prints added every month. The preprint archive turned 20 years old on 14 August 2011.

History

The arXiv was originally developed by Paul Ginsparg, in part to supersede a multinational email distribution list for preprints that had been operated manually by Joanne Cohn for about two years. It started in 1991 as a repository for preprints in physics and later expanded to include astronomy, mathematics, computer science, nonlinear science, quantitative biology and, most recently, statistics. It soon became obvious that there was a demand for long term preservation of preprints. The term e-print was adopted to describe the articles. Ginsparg was awarded a MacArthur Fellowship in 2002 for his establishment of arXiv.

Source

Description above from the Wikipedia article arXiv, licensed under CC-BY-SA full list of contributors here. Community Pages are not affiliated with, or endorsed by, anyone associated with the topic.

Create a Page

You and arXiv

Bertil F. Dorch likes this.

Find Friends from CERN



8 of your friends have worked at CERN. Find more people you know from CERN.

Find Friends

People You May Know

See All



Thomas Roser

Add Friend

Sponsored

Create an Ad

Vous Cherchez Partenaire?

be2.ch



Connectez-vous avec des milliers de célibataires mignons en ligne maintenant sur be2!

Traumkreuzfahrt?

deindeal.ch



CHF 598 statt CHF 2330 für 7 Nächte Kreuzfahrt für 2 Personen auf der MSC Splendida!

viXra

viXra log

LHC Luminosity 30-Oct-2011: peak = 3650/ $\mu\text{b/s}$ total delivered = 5770/pb

[Home](#)

[About](#)

[Science Calendar](#)

Higgs rumour analysis points to 125 GeV

December 2, 2011

A [rumour that reached our comment section](#) suggests that a signal for the Higgs boson has been seen at 125 GeV with 2-3 sigma significance. This would be a great result if confirmed because at this mass the standard model has problems with vacuum stability that are likely to require supersymmetry or something similar to stabilize. If on the other hand the Higgs were at 140 GeV we would be left with a simple but

RECENT COMMENTS



Murod on [Peer Review 2.0](#)



Dirk Pons on [Peer Review 2.0](#)

viXra.org

[BLOG](#)



An alternative archive of 2397 e-prints in Science and Mathematics serving the *whole* scientific community

All Categories

[All submissions \(2397\)](#)

Physics

[High Energy Particle Physics \(168\)](#) - particle theory, phenomenology and experiment that ignores gravity

Twitter/CERN



Search



Have an account? [Sign in](#)



CERN

@CERN Geneva

CERN, the European Organization for Nuclear Research, is the biggest particle physics laboratory in the world.
<http://www.cern.ch>

[+ Follow](#)

[Text follow CERN](#) to your carrier's shortcode

Tweets Favorites Following Followers Lists



CERN CERN

Passionate about science? Share it with the world and sign-up for FameLab. CERN's hosting a heat: ow.ly/7LDfa

1 Dec



CERN CERN

Where do we stand on the Higgs boson search? Latest results and what's next on the #Higgs at the #LHC
quantumdiaries.org/2011/11/23/whe...

23 Nov



CERN CERN

RT @cern_jobs: Looking for a new job for 2012? CERN has over 35 positions currently open that must be filled in Jan. cern.jobs

23 Nov

Stay in touch with CERN

Join Twitter right now:

[Sign up](#)

Curious how CERN uses Twitter?

[Discover who @CERN follows](#)



About @CERN

464
Tweets

39
Following

397,684
Followers

14,503
Listed

Recent images

Quantum Diaries

QUANTUM DIARIES

Thoughts on work and life from particle physicists from around the world.

journal diario 記事 tagebuch ジャーナル diary dagboek 學報 diario

[Home](#) [About Quantum Diaries](#) [Latest Posts](#) [All Blogs](#)



HOT TOPICS

Life of a Postdoc

For some college majors, it's four years and done. Those entering a career in particle physics know the fun is just getting started. That's because the path from undergrad to professor spans at least a decade and requires taking jobs at several physics institutions, often across multiple continents. Two to three of those years (and sometimes more) will be spent as a postdoctoral researcher, a period of time where you're no longer a graduate student but not quite a professor. During this time, physicists take on more responsibilities, mentor students and focus on completing additional research. Quantum Diaries bloggers — some of whom are completing their postdocs and some who just started — have written on what it is they're doing during this crucial time in their careers.

[Dr. Matthews Says, 'Just Ask!'](#)

By [Zoe Louise Matthews](#) | November 23, 2011

A lot has been building to this: a lifetime of obsession with physics and discovery; four years of hard study; about three and a half of the most exciting years of my life, working on the ALICE experiment; eight months of balancing an awesome career in nuclear physics with the mammoth task of writing a book. Now, at long last, my Ph.D. journey is finally over.

[Read more](#) | [Zoe's blog](#)

[Change of State](#)

By [Aidan Randle-Conde](#) | November 25, 2011

A few weeks ago I bumped into one my group's former students, Rozmin. She's still jetlagged from her journey here and she had the look on her face that told me she'd been through the change of state. She'd transitioned from a grad student to a postdoc. The metamorphosis is not an easy one, and in fact no matter how much time you spend preparing for it, and how long it takes, there are always some surprises.

SEARCH:

BLOGS

PEOPLE

LABORATORIES



European Organization for Nuclear Research

[View Blog \(English\)](#) | [Read Blo \(English\)](#)

[View Blog \(French\)](#) | [Read Blo \(French\)](#)

Thoughts from the CERN Courier

[Where do we stand on the Higgs boson search?](#)

[Où en sommes nous avec la quête du boson de Higgs?](#)

[Charme et beauté: LHCb a tout pour plaire](#)



[Getting Access...and De-Vilification](#)

[Leadership from the Front or Back of the Room?](#)



[MINERvA becomes first neutrino experiment to use helium target](#)

Mendeley – a digital filing cabinet



Welcome back Jens Vigen

My Account

Upgrade

Invite colleagues / Support

Dashboard My Library Papers Groups People

Papers Search...

Papers

In this catalog: 32,380,628 papers

Search papers...

eg: scientific impact measures

Advanced search

You're searching the world's largest crowd-sourced research catalog with over 32 million papers.

Papers

Popular

Latest

Browse disciplines

How to choose a good scientific problem.

CS

Uri Alon in *Molecular Cell* (2009)

Choosing good problems is essential for being a good scientist. But what is a good problem, and how do you choose one? The subject is not usually discussed explicitly within our profession. Scientists are expected to be smart enough to figure it out...

Save PDF to library · Related research

3,300 readers

Error bars in experimental biology.

CS

Geoff Cumming, Fiona Fidler, David L. Vaux in *The Journal of Cell Biology* (2007)

Error bars commonly appear in figures in publications, but experimental biologists are often

Arts and Literature

Astronomy / Astrophysics / Space Science

Biological Sciences

Business Administration

Chemistry

Computer and Information Science

Design

Earth Sciences

Economics

Education

Electrical and Electronic Engineering

Engineering

feedback

Mendeley/High Energy Physics



Welcome back Jens Vigen

My Account

Upgrade

Invite colleagues / Support

Dashboard My Library Papers Groups People

Papers Search...



High Energy Physics

In this subdiscipline: 29,423 papers

Mendeley Physics High Energy Physics

Discipline summary

Gravity

[Edit description](#)

Popular papers

A Supersymmetry Primer

cos

Stephen P Martin in *Nature* (1997)

I provide a pedagogical introduction to supersymmetry. The level of discussion is aimed at readers who are familiar with the Standard Model and quantum field theory, but who have had little or no prior exposure to supersymmetry. Topics covered...

Save PDF to library · **Related** research

93 readers

Large N Field Theories, String Theory and Gravity

cos

Popular tags

susy Hawking-Radiation BHs Tunneling
review Chacko's Papers Dark Matter
Thermodynamics RG Cosmology physics
neutrini Dark-energy mjl cs107 tag2 G2
Evaluación de hábitat dm astrophysics

Active members



Florent Sainct
Ph.D. Student
Laboratoire EM2C

14 contacts



Daniel Ferrante
Post Doc
Brown University

feedback

The ATLAS leak ...



← What's been going on in the universe

Apologies for the continued hiatus →

Higgs Gossip: Observation of a $\gamma\gamma$ resonance at a mass...

By [S.C. Kavassalis](#)
Posted: April 22, 2011

► [Observation of a \$\gamma\gamma\$ resonance at a mass - CERN Document Server: Home](http://cdsweb.cern.ch/record/1346326)

Update (April 25th, 2011) at end.

So I woke up this morning to several emails about a strange “Higgs sighting” at ATLAS. On a [Woit's blog](#), a commenter named [Higgs?](#) shared an abstract purporting observations of some 115 GeV resonance at CERN. It claims to be from an “internal note” from the ATLAS Collaboration.

Higgs? says:

[April 21, 2011 at 12:45 pm](#)

Internal Note

Report number ATL-COM-PHYS-2011-415

Blog Categories

- [Bad Physics](#)
- [Books](#)
- [Language and Physics](#)
- [Local News](#)
- [This Week In The Universe](#)

Recent Posts

- [Apologies for the continued hiatus](#)
- [Higgs Gossip: Observation of a \$\gamma\gamma\$ resonance at a mass...](#)
- [What's been going on in the universe](#)
- [Apologies for the blogging hiatus](#)
- [This “Week” in the Universe: February 1st – February 21st](#)

Recent Comments

[Pilleuski Allorge](#) on [The u...](#)

About the Author




Sarah Kavassalis: Permanent student of mathematics, physics and, sometimes, the philosophy of their intersection. Research interests in mathematical relativity, non-trivial spacetime topologies, discrete spacetimes, order theory and the related philosophy of mathematics.

YouTube

YouTube Browse Upload Create Account Sign

BioMedCentral BioMedCentral's Channel **Uploads** Playlists

Date Added | **Most Viewed** ▼ | Top Rated

 **Breeding orchid species creates a new perfume**

From: BioMedCentral | Apr 22, 2010 | 1,108 views

Some orchids mimic the scent of a female insect in order to attract males for pollination. Researchers writing in the open access journal BMC Evolutionary Biology (<http://bit.ly/9WkDMa>) found that breeding two of these orchid species to generate a novel hybrid resulted in a new scent. This new odour had no effect on normal solitary bees from the area but was highly attractive to another s... ([more info](#))

Crustacean Mystery
16,462 views - 3 years ago
0:47

Benefits of Open Access
8,951 views - 4 years ago
3:58

Author Video - Professor Andrew
6,273 views - 4 years ago
3:17

Professor Steve Jones
3,600 views - 4 years ago
5:33

Jens Vigen
3,448 views - 4 years ago
7:45

Dr Robert Aymar -
2,997 views - 4 years ago
9:14

CERN Love



- [Home](#)
- [About](#)
- [Submit your own!](#)

Considering cafeterias



Bison haché and some chaps on a mannequin

0

3 DAYS AGO

by [lots-o-love](#) in [Considering cafeterias](#)

It's so cute when the cafeteria dudes up for a theme week. A few weeks ago we got a mounted bison head, old-West wanted posters, the stars-and-stripes pinned over the crêpe station, and a mannequin wearing chaps and moccasins. Oh, and the only thing vaguely relevant on the menu seemed to be bison haché (bison burgers sans buns—*sans buns!*).



BINNING

Architecture	(5)
Around town	(8)
CERN conversations	(3)
Considering cafeterias	(7)
E-mail adventures	(6)
Infrastructure	(11)
Les Toilettes CERN	(2)
Marquage	(7)
Media hysteria	(6)
On the grounds	(25)
People	(9)
Photos	(17)
Science's cutting edge	(17)
The CERN of our dreams	(3)
We invented the "Internet"	(1)
What is it for?	(5)
You're doing it wrong	(15)

VISUALIZATION TOOLS

The Guardian : life and physics

theguardian


News | Sport | Comment | Culture | Business | Money | Life & style | Travel | Environment

News > Science > Life and Physics | Physics | Particle physics | Cern | Large Hadron Collider

LIFE AND PHYSICS

JON BUTTERWORTH

HOSTED BY THE GUARDIAN



Webfeed


Monday 21 November 2011

Lego model of the Atlas detector at the Large Hadron Collider

What can I say? You just have to see it ...

Continue reading...

9 comments



Posted by
Jon Butterworth
11.15 GMT


Friday 18 November 2011

Faster than light neutrinos get a bit more convincing

Jon Butterworth: An important cross-check of the OPERA result – pulses instead of blobs – comes up with the same weird answer

Continue reading...

35 comments




Posted by
Jon Butterworth
21.54 GMT

Wednesday 16 November 2011


Gentlemen prefer gluons

Lily Asquith on the awesome power of the genie in the proton

Continue reading...



Posted by
Lily Asquith
18.43 GMT



I haven't thought about blogging from a librarian point of view. Whether it should be archived... well... probably yes.


My motivations for blogging vary with the blogpost

The first is to provide the audience with more information and context, should they desire it, behind science headlines & stories, especially those close to my own research of course. I think particle physics in general and the LHC in particular provide high profile yet unthreatening science stories. Showing people the real scientific process in such cases may help them understand the scientific parts of the debates on e.g. climate change, vaccines or embryo research.

The second is that scientists are underrepresented in the wider culture and political debate. I see a blog as part of a continuum between tabloid headlines and academic journals.

I could imagine contemporary accounts of e.g. the Higgs search would be of interest to future geeks.

INSPIRE



Fermilab



1m records (HEP and neighboring fields)

50k users (HEP and neighboring fields)

<http://inspirehep.net>

Ellis, John R. [\(903 papers\)](#)

[This is me. Verify my publication list.](#)

Name variants

[Ellis, John R. \(831\)](#)
[Ellis, John \(36\)](#)
[Ellis, J. \(10\)](#)
[Ellis, John R., \(ed.\) \(9\)](#)
[Ellis, John R., \(Ed.\) \(7\)](#)
[Ellis, J.R. \(6\)](#)
[Ellis, Jonathan R. \(2\)](#)
[Ellis, John, \(ed.\) \(1\)](#)
[Ellis, John.R. \(1\)](#)

Papers

[All papers \(903\)](#)
[Report \(903\)](#)
[Published \(606\)](#)

Affiliations

[CERN \(823\)](#)
[SLAC \(37\)](#)
[Caltech \(9\)](#)

Frequent co-authors

[Nanopoulos, Dimitri V. \(222\)](#)
[Olive, Keith A. \(104\)](#)

Frequent keywords

[supersymmetry \(297\)](#)
[Higgs particle: mass \(132\)](#)
[dark matter \(128\)](#)

> 2'500

claimed profiles

(out of 30'000 active physicists, without major effort)

>30%

response rate to
solicitation

(mostly within hours!)

John Ellis – Author page: citation stats

Citations:

Citation summary results

	All papers	Published only
Total number of citable papers analyzed:	729	606
Total number of citations:	51,029	48,962
Average citations per paper:	70.0	80.8
Breakdown of papers by citations:		
Renowned papers (500+)	11	11
Famous papers (250-499)	34	34
Very well-known papers (100-249)	99	94
Well-known papers (50-99)	117	112
Known papers (10-49)	261	232
Less known papers (1-9)	158	98
Unknown papers (0)	49	25
Additional Citation Metrics ?		
h-index ?	116	115

> 160'000

records claimed

(out of 1 million)

Test of the τ -Model of Bose-Einstein Correlations and Reconstruction of the Source Function in Hadronic Z-boson Decay at LEP

The L3 Collaboration (Achard, P. et al.)

arXiv:1105.4788, CERN-PH-EP-2011-080, Eur.Phys.J. C71, 1648, 2011; 10.1140/epjc/s10052-011-1648-8 Date-Upd:2011-08-26


[PDF](#) from arXiv [Journal Server](#)

Your Email (Required)

Your Name (Optional)

Comments (Optional)

[HELP with this form](#)

Click on  to insert new references below existing reference

[Pion Interferometry of Nuclear Collisions. 1. Theory](#) - Gyulassy, M. et al. Phys.Rev. C20 (1979) 2267-2292

[Intensity interferometry in subatomic physics](#) - Boal, D.H. et al. Rev.Mod.Phys. 62 (1990) 553-602

[The Physics of Hanbury Brown-Twiss intensity interferometry: From stars to nuclear collisions](#) - Baym, Gordon Acta Phys.Polon. B29 (1998) 1839-1884 . nucl-th/9804026

[Bose-Einstein correlations in Z fragmentation and other reactions](#) - Kittel, Wolfram Acta Phys.Polon. B32 (2001) 3927-3972 . hep-ph/0110088

[Pion-pion correlations in antiproton annihilation events](#) - Goldhaber, Gerson et al. Phys.Rev.Lett. 3 (1959) 181-183

[Influence of Bose-Einstein statistics on the anti-proton proton annihilation process](#) - Goldhaber, Gerson et al. Phys.Rev. 120 (1960) 300-312

[Measurement of Bose-Einstein correlations with first CMS data](#) - CMS Collaboration (Khachatryan, Vardan et al.) Phys.Rev.Lett. 105 (2010) 032001 . arXiv:1005.3294 [hep-ex] . CMS-QCD-10-003, CERN-PH-EP-2010-010, FERMILAB-PUB-10-171-CMS






Measurement of the Muon Stopping Power in Lead Tungstate.

CMS Collaboration (Serguei Chatrchyan *et al.*) [Show all 2442 authors.](#)
Nov 2009

JINST 5 (2010) P03007
e-Print: [arXiv:0911.5397 \[physics.ins-det\]](#)

Abstract: A large sample of cosmic ray events collected by the CMS detector is exploited to measure the specific energy loss of muons in the lead tungstate of the electromagnetic calorimeter. The measurement spans a momentum range from 5 GeV/c to 1 TeV/c. The results are consistent with the expectations over the entire range. The calorimeter energy scale, set with 120 GeV/c electrons, is validated down to the sub-GeV region using energy deposits, of order 100 MeV, associated with low-momentum muons. The muon critical energy in lead tungstate is measured to be $160^{+5/-6}$ plus or minus 8 GeV, in agreement with expectations. This is the first experimental determination of muon critical energy.

Keyword(s): INSPIRE: [lead: tungsten](#) | [muon: energy loss](#) | [calorimeter: electromagnetic](#) | [cosmic radiation](#) | [CMS](#)



Record created 2009-11-30, last modified 2010-10-07

[Similar records](#)


[Abstract](#) and [Postscript](#) and [PDF](#) from arXiv.org

[Journal Server](#)

[Fermilab Library Server \(fulltext available\)](#)

➔ **Export**

[BibTeX](#), [EndNote](#), [LaTeX\(US\)](#), [LaTeX\(EU\)](#), [NLM](#), [DC](#)



Create new figure

100%




Figure 4: The observed 95% CL exclusion contour at NLO (solid red line) and LO (dashed blue line) in the CMSSM $(m_0, m_{1/2})$ plane for $\tan\beta = 3$, $A_0 = 0$ and $\mu > 0$. The area below the curve is excluded by this measurement. Exclusion limits obtained from previous experiments are presented as filled areas in the plot. Thin grey lines correspond to constant squark and gluino masses.

9 Additional Information for Model Testing

Other models of new physics in the dilepton final state can be confronted in an approximate way by simple generator-level studies that compare the expected number of events in 34 pb^{-1} with the upper limits from Section 8. The key ingredients of such studies are the kinematic requirements described in this paper, the lepton efficiencies, and the detector responses for H_T , y , and E_T^{miss} . The muon identification efficiency is $\approx 95\%$; the electron identification efficiency varies approximately linearly from $\approx 63\%$ at $p_T = 10 \text{ GeV}/c$ to 91% for $p_T > 30 \text{ GeV}/c$. The lepton isolation efficiency depends on the lepton momentum, as well as on the jet activity in the event. In tt events, it varies approximately linearly from $\approx 83\%$ (muons) and $\approx 89\%$ (electrons) at $p_T = 10 \text{ GeV}/c$ to $\approx 95\%$ for $p_T > 60 \text{ GeV}/c$. In LM0 events, this efficiency is decreased by $\approx 5\text{--}10\%$ over the whole momentum spectrum. Electrons and muons from LM1 events have the same isolation efficiency as in tt events at low p_T and $\approx 90\%$ efficiency for $p_T > 60 \text{ GeV}/c$. The muon detector response (the reconstructed quantity divided by the generated

Current figure:

Figure image:




Figure coordinates:

(x = 51, y = 67, width = 464, height = 341)

Select the boundary

Select caption


Caption text:

TODO: Text should be automatically extracted from the selected caption and should be inputted into this

Caption preview:

Caption coordinates:

(x = 0, y = 0, width = 0, height = 0)



- Persistent identifiers?
- How to cite?
- Partial results?
- Which incentives?
- Friends or competitors?

Publishing in journals listed in JCR is what one gets credits for

Obstacles to overcome for social media

Journals picked because of their potential for long-term accessibility



blog
forever

BlogForever will create a software platform capable of aggregating, preserving, managing and disseminating blogs.


How will the Higgs, provided that it exists, be announced?

Thousands of youngsters are involved in the hunt

...

- Facebook?
- Twitter?
- The Language of Bad Physics?
- Seminar?
- arXiv => then the blog sphere will explode?





Can the decision makers in 2011 control the masses



They were themselves wild(er) 30 ago ...

Borborigmi

SCIENZA E OPINIONI DI FRONTIERA

di un fisico renitente



Grazie per l'incoraggiamento, comunque!

1 DICEMBRE 2011

CERN LIBRARIES, GENEVA



CM-PO0061607

Ref.TH.2093-CERN

A PHENOMENOLOGICAL PROFILE OF THE HIGGS BOSON

John Ellis, Mary K. Gaillard *) and D.V. Nanopoulos *)
CERN -- Geneva

The situation with regard to Higgs bosons is unsatisfactory. First it should be stressed that they may well not exist. Higgs bosons are introduced to give intermediate vector bosons masses through spontaneous symmetry breaking. However, this symmetry breaking could be achieved dynamically ¹⁰⁾ without elementary Higgs bosons. Thus the confirmation or exclusion of their existence would be an important constraint on gauge theory model-building. Unfortunately, no way is known to calculate the mass of a Higgs boson, at least in the context of the popular Weinberg-Salam ¹¹⁾ model, and experimental lower limits ¹²⁾⁻¹⁴⁾ on its mass are

We should perhaps finish with an apology and a caution. We apologize to experimentalists for having no idea what is the mass of the Higgs boson, unlike the case with charm ^{3),4)} and for not being sure of its couplings to other particles, except that they are probably all very small. For these reasons we do not want to encourage big experimental searches for the Higgs boson, but we do feel that people performing experiments vulnerable to the Higgs boson should know how it may turn up.

Potrebbe non esistere. Non c'è modo di calcolarne la massa, e ve ne chiediamo scusa. Non vogliamo incoraggiare grandi ricerche sperimentali, ci sentiamo soltanto in dovere di mettervi in guardia.

Grazie, sul serio.

J. Ellis, M.K. Gaillard, D. Nanopoulos, *A phenomenological profile of the Higgs boson*, Nucl. Phys. B 106, 2 (1976) 292-34

Articoli recenti

- Grazie per l'incoraggiamento, comunque!
- Ogni scoperta si presenta sempre come l'incapacità di escludere un'ipotesi (ovvero, lo stato della ricerca del bosone di Higgs)
- OPERA conferma la misura di neutrini (potenzialmente) superluminali
- Come si rivela il passaggio di un neutrino?
- 5 anni
- LHCb vede i primi indizi di nuova fisica a LHC?
- Degli ebook scaricati in rete, e di "come funziona LHC?"
- La scienza non serve a niente
- La Konditorei del Cafe Pushkin
- Il CERN manda pacchetti di neutrini molto più corti verso OPERA

Ripescati (a caso) dalle viscere

- Qualcuno ha visto il bosone di Higgs?
- La specializzazione va bene per gli insetti
- Letture amene per il weekend
- Un italiano vero
- LHC startup, in diretta dal CERN

Cerca

Per cercare, scrivi e premi invio




Categorie

- Famiglia
- Fisica
- Geek attitude
- Intenzioni educative
- Letture e scrittura
- Life hacking
- Mezzi e messaggi
- Militanza
- Scienza e dintorni
- Strade e sentieri
- Vita di frontiera
- Zen da taschino

Chiacchiere in corso

- Grazie per l'incoraggiamento, comunque!
 - Claudio E: Ocram ha sicuramente ragione, però il fatto di avere una vita sessuale triste e...
 - Ocram: Smarco esiste, ovviamente, semplicemente non si chiama Smarco, ma Ocram. Ocram si arrabbia...
 - Claudio E: ci siamo...
 - Dos: ma chi scopre che NON esiste riceve ugualmente un qualche



Thank you for your attention

Jens.Vigen@cern.ch